

**MONTANA
CERTIFIED SEED POTATOES
2016-2017**



WHOLESALE DIRECTORY

Montana's Wholesale Directory for

Garden Seed Potatoes

Montana Seed Potato growers have been offering a colorful array of seed potatoes to home gardeners through this directory for five years. Montana seed potatoes are produced under the most stringent standards in the industry, and are the source of high-quality seed for commercial planting throughout the United States. This directory provides access to a wide variety of Montana seed potatoes suitable for planting in home gardens in Montana and beyond. The majority of Montana seed potatoes are produced in mountain valleys which are isolated from wind-borne diseases and insects. In this directory you will find a potato variety suited for growing in every area and for every culinary application. The variety descriptions include descriptions of the potato, their disease resistance, culinary uses and maturity class. While all potatoes can be harvested early for “new” potatoes or “creamers”, the individual varieties have been classified as early, medium maturity, and late maturity. The later maturity varieties may take longer to reach full size, but should attain a usable size in all but the shortest season growing areas.

Starting in 2013 and continuing into 2017, we are offering a program sponsored by a Montana Specialty Crops Block Grant for Montana nurseries, garden centers and commercial vegetable farms, where orders can be placed through the website www.mtseedpotato.org. Orders will be delivered to County Extension Offices in central locations for pickup. If you are interested in purchasing seed potatoes from this directory, call the specific grower(s) listed under the variety description or place your order using the website. Individual growers will have different prices and terms, as well as minimum order requirements. If you would like more information on how seed potatoes are certified in Montana, call the MSU Potato Lab at (406)994-3150.

Dr. Nina Zidack
Director – Montana Seed Potato Certification
Montana State University

NOTICE TO BUYER

DISCLAIMER OF WARRANTY

LIMITATION OF REMEDY AND DAMAGES

Montana certified seed potatoes have been subjected to visual field inspection pursuant to the Rules and regulations of Montana State University. The seller, the inspector, Montana State University and any of its entities make **NO WARRANTY OF ANY KIND, EXPRESS OR IMPLIED INCLUDING MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, QUALITY, OR ABSENCE OF DISEASE CONCERNING SAID SEED POTATOES.** The certification tag pertaining to any certified seed potatoes indicates only that, at the time of inspection, the potatoes inspected met the requirements for certification as set forth in said Rules and Regulations. **BY ACCEPTANCE OF THE SEED POTATOES, BUYER EXPRESSLY AGREES THAT ITS EXCLUSIVE REMEDY FOR ANY BREACH OF DUTY OWED IN REGARD TO CERTIFICATION SHALL BE LIMITED SOLELY AND EXCLUSIVELY TO A RETURN OF THE PURCHASE PRICE PAID BY BUYER FOR SAID SEED.**

This disclaimer of warranty and limitation of liability and remedy may not be altered or amended except by an instrument in writing and then only as to those specifically and expressly agreeing to the terms of said instrument. By acceptance of the seed potatoes, buyer agrees that the disclaimer and limitations described herein are express conditions of sale, and that they constitute the entire agreement between the parties regarding warranty, liability or remedy.

Thank you for buying Montana Seed Potatoes!



You can be confident that these seed potatoes are produced under the most stringent standards for quality and the lowest tolerances for diseases in the country.

Producing your own potatoes can be very rewarding, but requires good preparation.

Variety Selection: Choose a variety that fits your end use requirement and if scab has been a problem in your garden area chose a resistant variety.

Planting Time - When soil is 55-70F. Usually early to mid-May in Montana.

Soil Preparation - Till the soil as deeply as possible to encourage good drainage. Avoid incorporating wood ashes as this will promote the scab disease. Dig a trench approximately 6" deep and place seed pieces in bottom of trench 8-12" apart. If you want larger potatoes use the wider spacing. If you want smaller potatoes or plan to harvest early, 8" is sufficient. Cover seed pieces with 4" of soil. As the potatoes emerge, fill in the rest of the trench.

Hilling - When the stems are 8" high, gently hill with soil brought from both sides. Hill two more times at two week intervals.

Fertilizing - At the second hilling, side-dress with compost, or a small amount of granular fertilizer. Manure can be used, but it often promotes the development of a disease called scab.

Watering - Keep potatoes evenly moist but not too wet. Maintaining even moisture as the tubers form will reduce the development of scab.

Weed and Pest Control - Hoeing should take care of emerged weeds. If you suspect a disease problem, contact your County Extension agent.

Harvest - You should be able to harvest "new potatoes" after ~60-70 days. Dig around the edges

of the plant with a fork and see if you can rob a few tubers to determine size. You can dig anytime they are large enough for your use. If you plan on taking the potatoes to maturity and storing them over the winter, reduce water in late summer and let the vines die back naturally or cut the vines. After the vines have been dead 2-3 weeks, often after the first frost, dig potatoes and remove as much of the dirt as possible. Avoid bruising potatoes as bruises are the site for both soft rot and Fusarium dry rot infection. Store in a cool dark place (not in a refrigerator).



Hilling Potatoes with a Hoe

Diseases and Pests:

Late Blight

The most destructive disease of potato is Late Blight, which can also infect tomato, eggplant, peppers and petunia. Late blight is favored by cool, wet temperatures. The late blight fungus survives and can be carried in infected potato tubers and can serve as the source of an epidemic. Spores from the fungus may be wind borne and carried 50 miles or more. Therefore, all infected cull potatoes and volunteer potatoes should be destroyed. Please call your County Extension office if you suspect you might have this disease.

Late blight lesions are light brown surrounded with a light halo. Lesions can advance to decay entire stem. Tubers can also be infected.



Tuber Decay

Foliar Lesions



Other Pests: In addition to late blight, there are several other diseases, and also insects that can affect your potato crop. Following are photos and descriptions of some important

diseases and insects. If you observe any of these problems, contact your county extension office.



Photo S.H. DeBoer

Dry Rot symptoms typically originate in the skin of the potato.

Blackleg appears dark and inky. May affect stems and rot tubers



Fusarium

at a wound

Potato Scab symptoms appear as raised or sunken corky lesions and cracks on the surface of the potato



Potato mosaic is spread by aphids, infected tubers, and mechanically. Leaves appear mottled and crinkled and may be dwarfed. This disease is transmitted to the tuber and will cause disease in next years crop.

Bacterial Soft Rot manifests in tubers that have been wounded mechanically or will often set in as a secondary rot after infection by another tuber pathogen or invasion by an insect.



Insect Pests



Colorado Potato Beetle adults and larvae chew potato leaves and can cause total defoliation



Potato flea beetle causes holes in leaves and larvae burrow into tubers



All Insect Photos - W. Cranshaw, CSU, Bugwood.org

Tri-fold with potato culture and disease information available by request

Questions? MSU Potato Lab 406-994-3150

Website: www.montanaspud.org

The following practices should be used to manage potato disease:

1. Use Montana certified seed potatoes
2. Do not plant table stock potatoes from the grocery store.
3. Destroy diseased plants and tubers by freezing, heat treating, or disposal in a plastic bag.
4. Do not compost potatoes, tomatoes, eggplants or peppers.
5. Destroy volunteer potatoes.
6. Inspect garden regularly for diseased or suspicious plants. Contact the Extension Office immediately if you observe any sign of disease.
7. Use certified seed each year. Ask your garden store for "Montana Certified Seed".

All Blue



A widely grown heirloom specialty variety often sold as a “baby” blue potato. Tubers are smooth, oblong, medium-size, with deep-blue to almost purple skin and brilliant purple, moist, firm flesh with slightly grainy texture. Excellent steamed, mashed, microwaved, roasted and chipped. This is the variety that is often used for making blue potato chips. Late maturity and long dormancy. Moderate resistance to common scab and late blight

Suppliers:

Holbrook Seed Potatoes

(406) 490-8221

Mountain Spring Farms - Organic

(406) 826-3260

Banana, Russian Banana



Probably the best known of the fingerlings. Tan skin with dark yellow flesh. Matures earlier than most fingerlings with respectable yields of 2"-3" tubers at 75 days. Steamed and tossed with butter and parsley, these make a tasty late-summer dish. Moderately resistant to common scab, but susceptible to rhizoctonia and late blight. Early maturity.

Suppliers:

Holbrook Seed Potatoes	(406) 490-8221
Kimm's Organic Potatoes, LLC.	(406) 580-0310
Mountain Spring Farms - Organic	(406) 826-3260

Charlotte



Produces long oval, very regular tubers with shallow eyes, yellow skin and yellow flesh. Plants produce a high number of medium sized potatoes. Does not break apart when cooking which makes it excellent for potato salad. Also good for roasting and frying. Early maturity.

Supplier:

Spring Creek Farms, Inc.

(406) 284-4233

Cherry Red




An attractive red-skinned white fleshed variety with oval tubers and shallow eyes. Excellent for boiling, baking and roasting. Mid-season maturity. Moderately resistant to common scab.

Suppliers:

Holbrook Seed Potatoes	(406) 490-8221
Mountain Spring Farms - Organic	(406) 826-3260
Van Dyke Farms	(406) 581-8000

Chieftain



Produces high yields of smooth, red-skinned, white-fleshed, oblong to round tubers with shallow eyes. Excellent for boiling and roasting. Mid-season maturity. Moderately resistant to common scab.

Suppliers:

Holbrook Seed Potatoes	(406) 490-8221
Kimm's Organic Potatoes, LLC.	(406) 580-0310
Mountain Spring Farms	(406) 826-3260
Spring Creek Farms, Inc.	(406) 284-4233

Classic Russet




Photo courtesy of PVMI

An early-maturing russet skinned variety that produces very uniform and attractive tubers. Excellent culinary characteristics and suitable for baking, boiling and frying. Resistant to common scab.

Suppliers:

Kamps Seed Farm, LLC.

(406) 282-7471

White's Potato Farm, Inc.

(406) 580-2878

Colorado Rose



An all-purpose potato. Medium-sized plants produce large, oval, smooth, brightly colored rose-red-skinned tubers with white flesh. Mid-season maturity. Moderately susceptible to common scab.

Supplier:

Trembling Prairie Farms, Inc.

(920) 295-9072

Defender



Photo courtesy of PVMI

Defender is high yielding, lightly russeted, and most notable for having foliar and tuber resistance to late blight infection. Defender is well suited for boiling, baking or fries. The tuber type is considered long white with buff-tan skin and eyes that are intermediate in number and evenly distributed. Tuber set is low, with average size typically medium, although large tubers are common. It has relatively short tuber dormancy.

Its resistance to late blight and other potato diseases make it an excellent candidate for organic production. It consistently produced greater total and US No. 1 yields than Russet Burbank. The specific gravity is consistently high, with values comparable to Ranger Russet and tuber Vitamin C levels are also high, with concentrations 69% greater than Russet Burbank.

Supplier:

Mountain Spring Farms - Organic

(406) 826-3260

French Fingerlings



A popular gourmet variety which produces large, fingerling tubers with smooth, dark rose-red skin and waxy, yellow flesh lightly splashed with pink. Rather dry and flourlike, this outstanding potato variety offers an exceptional quality and delicious nutty flavor all its own. Excellent multi-purpose potato. Mid to late-season maturity. Moderately resistant to common scab.

Suppliers:

Holbrook Seed Potatoes

(406) 490-8221


Kimm's Organic Potatoes, LLC.

(406) 580-0310

Mountain Spring Farms - Organic

(406) 826-3260

German Butterball



Superb all-purpose potato. Tubers are yellow fleshed, oval and smooth to slightly flaky with a yellow skin color. Eyes are shallow and well distributed. Great for frying, baking, mashing and soups. Late maturity. Resistant to common scab.

Supplier:

Holbrook Seed Potatoes

(406) 490-8221

Huckleberry Gold



Photo courtesy of PVMI

A beautiful nutritious variety that produces round to oval tubers with purple skin and yellow flesh. Huckleberry Gold is more resistant to growth cracks, secondary growth, and hollow heart than Yukon Gold. It has very high antioxidant concentrations and good resistance to common scab and Verticillium wilt.

Suppliers:

Holbrook Seed Potatoes

(406) 490-8221

Mountain Spring Farms - Organic

(406) 826-3260

Kennebec




One of the most popular potato varieties in the North East. Tubers are elliptical to oblong with smooth, creamy buff skin, shallow eyes, and white flesh. A high yielding, fast growing variety that is widely adapted. Standard spacing (12") yields very large tubers. Plant closer (6-8") to produce medium size tubers. Excellent all-purpose potato. Mid-season maturity. Susceptible to common scab and late blight.

Suppliers:

Holbrook Seed Potatoes	(406) 490-8221
Mountain Spring Farms - Organic	(406) 826-3260
Van Dyke Farms	(406) 581-8000

Mozart




Oval, very uniform shaped tubers with distinct yellow eyes and an attractive sunrise red skin. Yellow flesh color. Allow enough time between top kill and harvest to promote skin set. Mozart has a long dormancy and stores well. Good resistance to common scab. Medium-late maturity.

Supplier:

Mountain Spring Farms - Organic

(406) 826-3260

Norland, 'Red'




Tubers are medium oblong, slightly flattened, with smooth red skin, shallow eyes and white flesh. Very good for boiling, frying and salads and often harvested for “new” potatoes in mid-summer. Early maturity. Moderate resistance to common scab.

Supplier:

Trembling Prairie Farms, Inc.

(920) 295-9072

Norland, 'Dark Red'



Tubers are medium oblong, slightly flattened, with smooth red skin, shallow eyes and white flesh. Very good for boiling, frying and salads and often harvested for “new” potatoes in mid-summer. Dark Red Norland has a slightly darker red skin color. Early maturity. Moderate resistance to common scab.

Suppliers:

Holbrook Seed Potatoes	(406) 490-8221
Kamps Seed Farms, LLC.	(406) 282-7471
Kimm's Organic Potatoes, LLC.	(406) 580-0310
Lake's Glacier View Farm	(406) 676-2174
Mountain Spring Farms - Organic	(406) 826-3260
White's Potato Farm, Inc.	(406) 580-2878

Purple Fiesta



Photo courtesy of PVMI

A fingerling potato with purple skin and dark purple flesh. An excellent tasting colored potato which is high in antioxidants and vitamin C. Excellent baked, boiled or fried. Maintains a dark purple hue when fried. Medium maturity. Moderate resistance to common scab.

Suppliers:

Mountain Spring Farms - Organic

(406) 826-3260

Spring Creek Farms, Inc.

(406) 284-4233

Purple Viking



Truly a beautiful potato, with deep purple skin dappled with pink splashes and stripes. Bright white flesh is suitable for baking, mashing and frying. This variety produces very large potatoes, so plant close (8"-10") to control size. Mid-season maturity. Moderately resistant to common scab and susceptible to late blight.

Suppliers:

Holbrook Seed Potatoes

(406) 490-8221

Kimm's Organic Potatoes, LLC

(406) 580-0310

Ranger Russet



Produces large, long tubers with russeted skin. Similar in appearance to Russet Burbank. Tubers are slightly flattened, with eyes of medium depth. Mid-season to late maturity. Susceptible to common scab and susceptible to late blight

Suppliers:

Kamps Seed Farms, LLC.

(406) 282-7471

Mountain Spring Farms - Organic

(406) 827-3260

Red Pontiac



Red-skinned variety popular with home gardeners. Tubers are oblong to round, smooth and sometimes lightly netted. Has medium deep eyes and white flesh. Holds shape well during cooking and widely harvested as a new potato. Mid-season maturity. Susceptible to common scab.

Supplier:

Holbrook Seed Potatoes

(406) 490-8221

Rose Finn Apple Fingerling



An heirloom with blush colored skin and bright yellow inside. Moderately dry flesh has superb flavor that is popular in gourmet markets. Medium sized tubers are long and narrow resembling a finger. Tubers form high on the ground so keep hilled for best quality. Good storage. High field resistance to scab. Mid-late maturity.

Supplier:

Mountain Spring Farms - Organic

(406) 826-3260

Russet Burbank



The most widely grown all-purpose potato in the United States. Tubers are long, uniformly russeted and show numerous eyes of medium depth. Excellent for baking, frying and mashing. Late maturity. Moderately resistant to common scab.

Suppliers:


Kamps Seed Farms, LLC.

(406) 282-7471

Kimm's Organic Potatoes, LLC.

(406) 580-0310

Sangre



Tubers are oval to oblong, smooth deep red skin, shallow eyes which are evenly distributed, with white flesh. Good retention of red color after storage. Excellent for boiling or baking, and for “creamers” when harvested early. Mid-season maturity.

Supplier:

Holbrook Seed Potatoes

(406) 490-8221

Satina



Satina is a yellow flesh, yellow skinned variety with an oval to round tuber. Maturity is similar to Yukon gold but has a higher tuber set per plant. It has a beautiful appearance and rates very high for culinary characteristics. Early maturity

Supplier:

Spring Creek Farms, Inc.

(406) 284-4233

Teton Russet



Photo courtesy of PVMI


Teton Russet has oblong tubers with moderate russet, good skin and shallow eyes. Tubers are very uniform in size and shape and this potato is excellent for boiling and baking. Early maturity.

Supplier:

Kamps Seed Farm, LLC.

(406) 282-7471

Victoria



Tubers are long-oval with cream colored skin and yellow flesh. An excellent yellow all-purpose potato. Mid-season to late maturity.

Supplier:

Mountain Spring Farms - Organic

(406) 826-3260

Yukon Gem



Photo courtesy of PVMI

An excellent yellow fleshed all-purpose potato. Tubers are similar in appearance to 'Yukon Gold', but with higher yield potential. Mid-season maturity. Resistant to common scab and moderately resistant to late blight.

Suppliers:

Holbrook Seed Potatoes

(406) 490-8221

Mountain Spring Farms - Organic

(406) 826-3260

Trembling Prairie Farms, Inc.

(920) 295-9072

Yukon Gold



Tubers are oval, slightly flattened with finely flaked yellowish white skin. An extremely popular yellow-fleshed potato with shallow pink eyes. An excellent all-purpose potato. Early maturity. Susceptible to common scab and late blight.

Suppliers:

Holbrook Seed Potatoes	(406) 490-8221
Kimm's Organic Potatoes, LLC.	(406) 580-0310
Lake's Glacier View Farm	(406) 676-2174
White's Potato Farm, Inc.	(406) 580-2878

Suppliers

HOLBROOK SEED POTATOES
420 E. BENCH ROAD
TWIN BRIDGES, MT 59754
(406) 490-8221 - LACI HOLBROOK
laci.holbrook@gmail.com

KAMPS SEED FARM, LLC.
3270 LEE ROAD
MANHATTAN, MT 59741-8525
(406) 282-7471 – TIM KAMPS

KIMM'S ORGANIC POTATOES, LLC.
5480 LINNEY ROAD
MANHATTAN, MT 59741
(406) 580-0310 - YVONNE KIMM
yvnnkmm@gmail.com

LAKE'S GLACIER VIEW FARM
35822 SPRING CREEK ROAD
RONAN, MT 59864
(406) 676-2174 - WAREHOUSE
(406) 253-3638 – DAN LAKE
lakeseed@ronan.net

MOUNTAIN SPRING FARMS -ORGANIC
PO BOX 15
PARADISE, MT 59856
(406) 826-3260 - NANCY BEECH
mountainspringfarms@blackfoot.net

SPRING CREEK FARMS, INC.
3990 CHURCHILL ROAD
MANHATTAN, MT 59741
(406) 284-4233 – JOHN VENHUIZEN
office@plantthebest.com

TREMBLING PRAIRIE FARMS, INC.
559 LOWER ROAD
KINSEY, MT 59338
(920) 295-9072 – JOHN BOBEK

VAN DYKE FARMS
2422 FAIRWAY DRIVE
BOZEMAN, MT 59715
(406) 581-8000

WHITE'S POTATO FARM, INC
7700 WHITE ROAD
MANHATTAN, MT 59741
(406) 580-2878 - MATT WHITE

MONTANA POTATO
IMPROVEMENT ASSOCIATION

2016 OFFICERS

President Steve Streich
Vice President Dan Dyk

2016 DIRECTORS

District 1	Steve Streich
District 3	Dan Dyk
District 2	Steve Cottom
District 1	Roger Starkel
District 3	John Venhuizen
District 1	Jack Lake
District 3	Sid Schutter

Officers and Directors of the MPIA also serve in an advisory capacity to Montana State University as the Montana Potato Advisory Board.

Montana Seed Potato Certification Program

Montana State University
Potato Laboratory
Po Box 172060
Bozeman, MT 59717

Dr. Nina Zidack, Director

Staff: Susie Siemsen, Eileen Carpenter, Elaine Nichols, Teresa Meeker,
Anna Jespersen, Barbara Oyster, Alice Pilgeram, Becky Evans

Phone: (406) 994-3150

Fax: (406) 994-6042

E-Mail: potatocert@montana.edu

Web Site: montanaspud.org

Place orders at www.mtseedpotato.org.





The U.S. Department of Agriculture (USDA), Montana State University and the Montana State University Extension prohibit discrimination in all of their programs and activities on the basis of race, color, national origin, gender, religion, age, disability, political beliefs, sexual orientation, and marital and family status. Issued in furtherance of cooperative extension work in agriculture and home economics, acts of May 8 and June 30, 1914, in cooperation with the U.S. Department of Agriculture, Jeff Bader, Director of Extension, Montana State University, Bozeman, MT 59717